Scientific Laboratory Supplies - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1

Revision date: Date printed: 16 April 2021 16 September 2024

CHE1010

Section 1. Identification

| 1.1 | Product Identifier | CHE1010 |
|-------|--------------------------------------|--|
| | Product Name | ACETIC ACID 50% w/w (for W&T Deox 2000) (U86584) 5L. |
| | CAS Number REACH Registration No | 64-19-7 A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date. |
| | Molecular Formula | CH ₃ COOH =60.05 |
| 1.2 H | Relevent identified uses of the | he substance or mixure & uses advised against |
| | Uses of Material | Chemical for industrial and laboratory use. Not suitable for domestic use. |
| 1.3 | Supplier | Scientific Laboratory Supplies |
| | SCIENTIFIC LABORATORY SUPPLIES | Unit 6, Foresters Avenue Fairham Business Park Fairham Nottingham NG11 2AF UNITED KINGDOM |
| | Phone Fax Email | 0115 9821111 0115 9825275 sales@scientific-labs.com |
| 1.4 | Emergency Telephone | (08:00-17:00) 0115 9821111 (24hr) 112 (Have this document to hand) |

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC Skin corrosion/irritation, category 1B


H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word

Danger







Causes severe skin burns and eye damage.

Wear protective gloves / protective clothing / eye protection. Do not breathe fume/vapours. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Section 3. Composition

3.1 Substances

| Component | CAS No. | EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|-------------|---------|-----------|-----------------------|----------|-----------------------------------|
| Acetic acid | 64-19-7 | 200-580-7 | 01-2119475328-30-XXXX | >50% | Flam. Liq. 3, Skin Corr. 1A |
| | | | | | |

Section 4. First Aid

4.1 Description of first aid measures

| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION URGENTLY. |
|--------------------------------------|---|
| Skin | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. If discomfort persists OBTAIN MEDICAL ATTENTION. |
| Inhalation | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Ingestion | If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection. |

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

| Extinguishing Media | Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool. |
|---------------------|--|
| Unsuitable Media | Do not use water jet. |

5.2 Special hazards arising from the substance or mixture

Presents no specific fire danger.

5.3 Advice for firefighters

Hazards

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapour. Use approved personal protective equipment. Evacuate area immediately. Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Personal Protection

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major SpillageContain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with
copious amounts of water.Minor SpillageContain and absorb on inert material. Neutralise spill with soda ash, lime, calcium carbonate or sodium
bicarbonate. Wash to drain with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Keep containers closed when not in use.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | | Workplace Exposu | re Limits | |
|-------------------------|------------|---|----------------------|------------------|------------------|-------------|
| | | | Long Term (8hr | TWA) | Short Term 15min | period) |
| Acetic acid | 64-19-7 | >50% | 10.0 ppm | 25.0 mg/m-3 | 20.0 ppm | 50.0 mg/m-3 |
| Exposure data source(s) | | IOELV: Indicative Occupatio | nal Exposure Limit V | alue. | | |
| 8.2 Exposure con | trols | | | | | |
| Respiratory | Protection | Use L.E.V. or natural ventilat maintained chemical cartridge | | | | |
| Hand Prote | ction | Use PVC gauntlets. | | | | |
| Eye Protect | ion | Use chemical full face shield. | | | | |
| Skin Protec | tion | Wear PVC oversuit. | | | | |
| Special Haz | zards | No special precautions require | ed. | | | |

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance | Clear colourless liquid. |
|-----------------------|---|
| Odour | Sharp vinegary odour and burning taste. |
| | 1 6 9 6 |
| pH | 1 @ 20°C |
| Boiling Point | Aqueous solution |
| Melting Point | Not applicable |
| Flash Point | Not applicable |
| Upper Flammable Limit | Not applicable |
| Lower Flammable Limit | Not applicable |
| Auto Ignition | Not applicable |
| Explosive Properties | No. |
| Oxidising Properties | No. |
| Vapour Pressure | Not applicable |
| Relative Density | 1.0500 |
| Water Solubility | Completely soluble in water. |
| | |

9.2 Other information

Section 10. Stability & Reactivity

| 10.1 | Reactivity | No data available. |
|------|-------------------------------------|---|
| 10.2 | Chemical Stability | Stable under normal conditions |
| 10.3 | Possibility of hazardous reactions | No data available. |
| 10.4 | Conditions to Avoid | No specific conditions. |
| 10.5 | Incompatable Materials | Hydrogen peroxide, chromium trioxide and potassium permanganate. Potassium t-butoxide. Alkalis. |
| 10.6 | Hazardous Decomposition Products | None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. |

Section 11. Toxicological Information

11.1 Information on toxicological effects

| Eyes | The vapour is irritating to the eyes. The liquid and solutions will cause severe burns. Damage can range from severe irritation and corneal scarring to permanent blindness. |
|----------------------|--|
| Skin | The liquid and solutions will cause severe burns. Repeated exposure may cause dermatitis. |
| LD50 Skin | Not available |
| Ingestion | Causes severe corrosion of the mouth, throat and gastro-intestinal tract. |
| LD50 Oral | 3310mg/kg Rat |
| Inhalation | Exposure to vapour concentrations above the occupational exposure limits will produce severe irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour may seriously damage the membranes lining the nose, throat and upper respiratory tract. |
| LD50 Inhalation | Not available |
| TCLo | Not available |
| Carcinogenicity | Not considered to be a carcinogen. |
| Mutagenicity | Not considered to be a mutagen. |
| Reproductive Effects | None identified. |
| Other Information | The irritant effect provides warning that control of exposure is needed. 10ppm is the threshold for irritation with severe irritation occurring above 25ppm. |

Section 12. Ecological

| 12.1 | Toxicity | Readily bio-degraded in the environment. Slightly toxic to aquatic species but is unlikely to bioaccumulate. |
|------|----------------------------------|--|
| | LC50 Algal | Not available |
| | LC50 Crustacea | Not available |
| | LC50 Fish | Not available |
| 12.2 | Persistence and degradability | No data available. |
| 12.3 | Bioaccumulative potential | No data available. |
| 12.4 | Mobility in soil | No data available. |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects | None known at present. |

Section 13. Disposal Considerations

13.1 Waste treatment methods Disposal Methods

Dilute in a large excess of water and carefully neutralise with soda ash, then wash to drain with copious amounts of water.

Section 14. Transport Information

| 14.1 | UN Number | 2790 | |
|------|--|----------------------------------|----------------|
| 14.2 | Proper Shipping Name | Acetic acid solution | |
| 14.3 | Transport classes UN classification Subsidiary hazard(s) Transport category ADR Hazard ID Tunnel Restriction Code | 8 None 2 80 E | CORROSIVE 8 |
| 14.4 | Packing Group | Π | |
| 14.5 | Environment hazards | See section 12. | |
| 14.6 | Special precautions for user | No special precautions required. | |
| 14.7 | Transport in bulk | Not transported in bulk. | |

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

| Classification | Skin corrosion/irritation, category 1B |
|--------------------------|--|
| Signal word | Danger |
| Hazard Pictograms | |
| Hazard Statements | H314 Causes severe skin burns and eye damage. |
| Precautionary Statements | P280, P260, P303+P361+P353, P304+P340, P305+P351+P338, P301+P330+P331 Wear protective gloves / protective clothing / eye protection. Do not breathe fume/vapours. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies