Scientific Laboratory Supplies - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1

Revision date: Date printed: 16 April 2021 16 September 2024

CHE1056

Section 1. Identification

| 1.1 | Product Identifier | CHE1056 | |
|-------|--|--|--|
| | Product Name | ACETYL CHLORIDE pure 100ml. | |
| | CAS Number REACH Registration No | 75-36-5 A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date. | |
| | Molecular Formula | CH, COC1 =78.50 | |
| 1.2 I | Relevent identified uses of t Uses of Material | he substance or mixure & uses advised against Chemical for industrial and laboratory use. Not suitable for domestic use. | |
| 1.3 | Supplier | Scientific Laboratory Supplies | |
| | SCIENTIFIC LABORATORY SUPPLIES | Unit 6, Foresters Avenue Fairham Business Park Fairham Nottingham NG11 2AF UNITED KINGDOM | |
| | Phone Fax Email | 0115 9821111 0115 9825275 sales@scientific-labs.com | |
| 1.4 | Emergency Telephone | (08:00-17:00) 0115 9821111 (24hr) 112 (Have this document to hand) | |

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Flammable liquid, category 2 Skin corrosion/irritation, category 1B

H225: Highly flammable liquid and vapour. H314: Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word

Danger

Hazard Pictograms



Hazard Statements

Highly flammable liquid and vapour. Causes severe skin burns and eye damage.

Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Supplemental Hazard Information (EU)

Reacts violently with water.

Section 3. Composition

3.1 Substances

| Component | CAS No. | EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|-----------------|---------|-----------|-----------|----------|-----------------------------------|
| Acetyl Chloride | 75-36-5 | 200-865-6 | | 98% | Flam. Liq. 2,Skin Corr. 1B |
| | | | | - | |

Section 4. First Aid

4.1 Description of first aid measures

| | |
|--------------------------------------|---|
| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Skin | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. OBTAIN MEDICAL ATTENTION. |
| Inhalation | Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If conscious place in a sitting position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Ingestion | If conscious give plenty of water to drink. Do not induce vomiting. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection. |
| | |

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

| Extinguishing Media | Alcohol resistant foam, dry powder, carbon dioxide or vaporising liquid. |
|---------------------|--|
| Unsuitable Media | Do not allow water to come into direct contact with material. |

5.2 Special hazards arising from the substance or mixture

Hazards

May evolve toxic fumes if involved in a fire. Vapour-air mixtures are explosive.

5.3 Advice for firefighters

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure no sources of ignition. Evacuate area immediately. Avoid breathing vapour. Only re-enter area with full protective clothing and breathing apparatus. Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Enviromental

Personal Protection

Keep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water. Minor Spillage Neutralise spill with soda ash, lime, calcium carbonate or sodium bicarbonate. Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations to a minimum.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry, fireproof location. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Protect against moisture to prevent decomposition and corrosion.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | Workplace I | Exposure Limits |
|-------------------------|---------|--------------------------------|---|--|
| | | | Long Term (8hr TWA) | Short Term 15min period) |
| Acetyl Chloride | 75-36-5 | 98% | | |
| Exposure data source(s) | | No occupational exposure da | ata currently available. | |
| 8.2 Exposure cont | rols | | | |
| Respiratory Protection | | | tion to maintain vapour concentrations ge respirator, or use self contained brea | below exposure limits. If not, use a well thing apparatus. |
| Hand Protect | tion | Use PVC gauntlets. | | |
| Eye Protection | on | Use chemical full face shield | L. | |
| Skin Protecti | ion | If skin contact or contaminat | ion of clothing is likely, protective clot | thing must be worn. |
| Special Haza | urds | No special precautions require | red. | |

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance | Clear colourless liquid. |
|-----------------------|----------------------------|
| Odour | Pungent. |
| pH | Not applicable |
| Boiling Point | 51°C |
| Melting Point | -112°C |
| Flash Point | 5°C (Closed cup) |
| Upper Flammable Limit | 19% |
| Lower Flammable Limit | 7.3% |
| Auto Ignition | 390°C |
| Explosive Properties | Severe in confined spaces. |
| Oxidising Properties | No. |
| Vapour Pressure | 240.02mmHg @ 20°C |
| Relative Density | 1.1000 |
| Water Solubility | Decomposes in water. |

9.2 Other information

No data available.

Section 10. Stability & Reactivity

| 10.1 | Reactivity | No data available. |
|------|-------------------------------------|--|
| 10.2 | Chemical Stability | Stable under normal conditions but decomposes violently in contact with water. |
| 10.3 | Possibility of hazardous reactions | No data available. |
| 10.4 | Conditions to Avoid | Avoid contact with water or water vapour. |
| 10.5 | Incompatable Materials | Alkaline earth metals, alkali metals, water, alcohols, amides, and sulphoxides. |
| 10.6 | Hazardous Decomposition Products | May decompose to produce toxic and corrosive fumes of Hydrochloric acid, acetic acid and phosgene. |

Section 11. Toxicological Information

11.1 Information on toxicological effects

| 0 | |
|----------------------|--|
| Eyes | The vapour is be extremely irritating to eyes and can cause chemical eye burns. Damage can range from severe irritation and corneal scarring to permanent blindness. |
| Skin | Both the vapour and liquid will, cause burns. |
| LD50 Skin | Not available |
| Ingestion | Ingestion will cause severe mouth burns, and if swallowed extensive damage to the oesophagus. Symptoms may include salivation, thirst, difficulty in swallowing, pain, shock and vomiting. |
| LD50 Oral | 910mg/kg Rat |
| Inhalation | Exposure to vapour concentrations above the occupational exposure limits will produce irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour will seriously damage the membranes lining the nose, throat and upper respiratory tract. |
| LD50 Inhalation | Not available |
| TCLo | Not available |
| Carcinogenicity | Not considered to be a carcinogen. |
| Mutagenicity | Not considered to be a mutagen. |
| Reproductive Effects | None identified. |
| Other Information | 5-10ppm is the threshold for irritation with severe irritation occurring at 50-100 ppm. |
| | |

Section 12. Ecological

| 12.1 | Toxicity | Do not allow to enter drinking water supplies, waste water, or soil. Slightly toxic to aquatic species but is unlikely to bioaccumulate. |
|------|----------------------------------|--|
| | LC50 Algal | Not available |
| | LC50 Crustacea | Not available |
| | LC50 Fish | Not available |
| 12.2 | Persistence and degradability | No data available. |
| 12.3 | Bioaccumulative potential | No data available. |
| 12.4 | Mobility in soil | No data available. |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects | None known at present. |

Section 13. Disposal Considerations

Disposal Methods Dispose of in a licensed incinerator. Never dispose of into water courses or sewerage systems.

Contaminated Packaging Use a licensed waste disposer. Carefully neutralise with a weak sodium hydroxide solution then wash out thoroughly with water.

Section 14. Transport Information

| 14.1 | UN Number | 1717 | |
|------|---|----------------------------------|---------------------|
| 14.2 | Proper Shipping Name | Acetyl chloride | |
| 14.3 | Transport classes UN classification Subsidiary hazard(s) Transport category | 3 8 2 | FLAMMABLE LIQUID |
| | ADR Hazard ID Tunnel Restriction Code | X338 D/E | 3 8 |
| 14.4 | Packing Group | II | |
| 14.5 | Environment hazards | See section 12. | |
| 14.6 | Special precautions for user | No special precautions required. | |
| 14.7 | Transport in bulk | Not transported in bulk. | |

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

| Classification | Flammable liquid, category 2; Skin corrosion/irritation, category 1B |
|---|--|
| Signal word | Danger |
| Hazard Pictograms | |
| Hazard Statements | H225, H314 Highly flammable liquid and vapour. Causes severe skin burns and eye damage. |
| Precautionary Statements | P233, P280, P261, P301+P310, P331 Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. |
| Supplemental Hazard Information (EU) | EUH014 |
| mormation (EO) | Reacts violently with water. |

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies