

**Section 1. Identification****1.1 Product Identifier**

CHE1186

Product Name

AMMONIUM NICKEL (II) SULPHATE 6H<sub>2</sub>O 100g.

CAS Number

7785-20-8

REACH Registration No

A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date.

Molecular Formula

 $H_4 N_2 NiO_4 S_2 \cdot 6H_2O = 394.99$ **1.2 Relevant identified uses of the substance or mixture & uses advised against**

Uses of Material

Chemical for industrial and laboratory use. Not suitable for domestic use.

**1.3 Supplier**

Scientific Laboratory Supplies

**SCIENTIFIC  
LABORATORY  
SUPPLIES**Unit 6, Foresters Avenue  
Fairham Business Park  
Fairham  
Nottingham  
NG11 2AF  
UNITED KINGDOM

Phone

0115 9821111

Fax

0115 9825275

Email

sales@scientific-labs.com

**1.4 Emergency Telephone**(08:00-17:00) 0115 9821111  
(24hr) 112  
(Have this document to hand)**Section 2. Hazards Identification****2.1 Classification of the substance or mixture****Classification according to regulation 1272/2008/EC**

Acute toxicity, category 4 (oral)

H302: Harmful if swallowed.

Acute toxicity, category 4 (inhalation)

H332: Harmful if inhaled.

Respiratory sensitization, category 1

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization, category 1

H317: May cause an allergic skin reaction.

Germ cell mutagenicity, category 2

H341: Suspected of causing genetic defects.

Carcinogenicity, category 1A

H350: May cause cancer.

Reproductive toxicity, category 1B

H360: May damage fertility or the unborn child.

Spec target organ tox - repeat, category 1

H372: Causes damage to organs through prolonged or repeated exposure.

Hazard to aquatic environment, category 1

H400: Very toxic to aquatic life.

Hazard to aquatic environment, category 1

H410: Very toxic to aquatic life with long lasting effects.

**2.2 Label elements****Labelling according to regulation 1272/2008/EC**

Signal word

Danger

Hazard Pictograms



Hazard Statements	May cause cancer. May damage fertility or the unborn child. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. Harmful if inhaled or swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary Statements	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. Avoid breathing dust / fume / gas / mist / vapours / spray. If skin irritation or a rash occurs: Get medical advice/attention.

## Section 3. Composition

### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Ammonium nickel sulphate hexahydrate	7785-20-8	239-793-5		100%	Acute Tox. 4 (O), Acute Tox. 4 (I), Resp. Sens. 1, Skin Sens. 1, Muta. 2, Carc. 1A, Repr. 1B, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1

## Section 4. First Aid

### 4.1 Description of first aid measures

Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.
Skin	Remove contaminated clothing immediately and wash before re-use. Thoroughly wash off skin with soap and water. If discomfort persists OBTAIN MEDICAL ATTENTION.
Inhalation	Remove from exposure, wearing protective clothing and breathing apparatus if necessary. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. OBTAIN MEDICAL ATTENTION URGENTLY.
Ingestion	Wash out the patients mouth thoroughly with water. OBTAIN MEDICAL ATTENTION URGENTLY.
Personal protection for first aiders	Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5. Fire Fighting

### 5.1 Extinguishing media

Extinguishing Media	Consider what other flammable materials are present and act accordingly.
Unsuitable Media	Nothing specified.

### 5.2 Special hazards arising from the substance or mixture

Hazards	May evolve toxic fumes if involved in a fire.
---------	---

### 5.3 Advice for firefighters

Advice for firefighters	Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.
-------------------------	--

## Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Evacuate area immediately. Avoid breathing dust-wear respiratory protective equipment. Do not allow general use of area until it is safe to do so.

### 6.2 Environmental precautions

Environmental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

### 6.3 Methods and material for containment and cleaning up

Major Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage .

### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

### 8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits	
			Long Term (8hr TWA)	Short Term 15min period
Ammonium nickel sulphate hexahydrate	7785-20-8	100%	-	-

Exposure data source(s) No occupational exposure data currently available.

### 8.2 Exposure controls

Respiratory Protection If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.

Hand Protection Use nitrile gloves or PVC gauntlets.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

## Section 9. Physical & Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance Green crystals.  
Odour No specific odour.  
pH Not applicable  
Boiling Point Not available  
Melting Point 85-89°C  
Flash Point Not applicable  
Upper Flammable Limit Not applicable

Lower Flammable Limit	Not applicable
Auto Ignition	Not applicable
Explosive Properties	No.
Oxidising Properties	No.
Vapour Pressure	Not applicable
Relative Density	Not available
Water Solubility	Very soluble in water.

## 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

10.1 Reactivity	No data available.
10.2 Chemical Stability	Stable under normal conditions
10.3 Possibility of hazardous reactions	No data available.
10.4 Conditions to Avoid	Avoid exposure to heat.
10.5 Incompatible Materials	Strong oxidising agents.
10.6 Hazardous Decomposition Products	Hazardous products of decomposition may include: Sulphur oxides, ammonia, nickel and nickel oxides.

## Section 11. Toxicological Information

### 11.1 Information on toxicological effects

Eyes	Contact with the solid or dust will be irritating to the eyes.
Skin	Contact with the solid or dust will be irritating to the skin. Repeated exposure may cause dermatitis.
LD50 Skin	Not available
Ingestion	Ingestion may cause gastrointestinal irritation.
LD50 Oral	400mg/kg Rat
Inhalation	Prolonged exposure to dust or fume concentrations above the occupational exposure limits may produce irritation of the eyes, nose, throat and respiratory tract.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Carcinogenicity, category 1A. Classed as a potential human carcinogen.
Mutagenicity	Germ cell mutagenicity, category 2. May be a mutagen.
Reproductive Effects	May damage fertility or the unborn child.

## Section 12. Ecological

12.1 Toxicity	Nickel salts are harmful to the environment.
LC50 Algal	Not available
LC50 Crustacea	Not available
LC50 Fish	Not available
12.2 Persistence and degradability	No data available.
12.3 Bioaccumulative potential	No data available.
12.4 Mobility in soil	No data available.
12.5 Results of PBT & vPvB assessment	Assessment not required.
12.6 Other adverse effects	None known at present.

## Section 13. Disposal Considerations

### 13.1 Waste treatment methods

Disposal Methods	Use a licensed waste disposer.
Contaminated Packaging	Use a licensed waste disposer.

## Section 14. Transport Information

14.1 UN Number	3288
14.2 Proper Shipping Name	Toxic solid, inorganic, N.O.S. (Ammonium Nickel Sulphate)
14.3 Transport classes	
UN classification	6.1
Subsidiary hazard(s)	None
Transport category	2
ADR Hazard ID	60
Tunnel Restriction Code	E
14.4 Packing Group	III
14.5 Environment hazards	See section 12.
14.6 Special precautions for user	No special precautions required.
14.7 Transport in bulk	Not transported in bulk.



## Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for substance/mixture.

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification	Acute toxicity, category 4 (oral); Acute toxicity, category 4 (inhalation); Respiratory sensitization, category 1; Skin sensitization, category 1; Germ cell mutagenicity, category 2; Carcinogenicity, category 1A; Reproductive toxicity, category 1B; Spec target organ tox - repeat, category 1; Hazard to aquatic environment, category 1; Hazard to aquatic environment, category 1
Signal word	Danger
Hazard Pictograms	
Hazard Statements	H350, H360, H341, H372, H302+H332, H334, H317, H410 May cause cancer. May damage fertility or the unborn child. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. Harmful if inhaled or swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Hazard Statements (Packs of 500ml/g or less)	H350, H360, H341, H372, H334, H317, H410 May cause cancer. May damage fertility or the unborn child. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary Statements	P201, P202, P280, P264, P261, P333+P313 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. Avoid breathing dust / fume / gas / mist / vapours / spray. If skin irritation or a rash occurs: Get medical advice/attention.
Precautionary Statements (Packs of 500ml/g or less)	P201, P202, P280, P264, P260 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. Do not breathe dust.

## 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies