Scientific Laboratory Supplies - Safety Data Sheet

CHE150

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2 Revision date: Date printed:

16 April 2021 16 September 2024

Section 1. Identification

Product Identifier CHE1500

> Product Name CALCIUM OXIDE LUMP 1Kg.

CAS Number

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

CaO =56.08 Molecular Formula

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 **Supplier** Scientific Laboratory Supplies



Unit 6, Foresters Avenue Fairham Business Park

Fairham Nottingham NG11 2AF

UNITED KINGDOM

Phone 0115 9821111 0115 9825275 Fax

sales@scientific-labs.com Email

Emergency Telephone (08:00-17:00)0115 9821111

> (24hr) 112 (Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Skin corrosion/irritation, category 2 H315: Causes skin irritation. Serious eye damage/irritation, category 1 H318: Causes serious eye damage. Spec target organ tox - single, category 3 H335: May cause respiratory irritation.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms





Ref: CHE1500

Hazard Statements Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Precautionary Statements Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. Do not breathe

fumes. Use only outdoors or in a well-ventilated area. If skin irritation occurs: Get medical advice/attention. If eye

irritation persists: Get medical advice/attention.

Section 3. Composition

3.1 Substances

Component	CAS No. EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Calcium oxide	1305-78-8 215-138-9		>95%	Skin Irrit. 2,Eye Dam. 1,STOT SE 3 (I)

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION URGENTLY.

Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. If discomfort persists OBTAIN MEDICAL ATTENTION. Skin

Inhalation

Ingestion If conscious give plenty of water to drink. If unconscious place in the recovery position. OBTAIN MEDICAL

ATTENTION.

Personal protection for first Wear protective gloves / eye protection.

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Dry chemical powder.

Unsuitable Media If water is used it should be in a large excess to minimise exothermic reactions.

5.2 Special hazards arising from the substance or mixture

Hazards Presents no specific fire danger.

5.3 Advice for firefighters

Advice for firefighters Consider all other materials in the vicinity.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Use approved personal protective equipment. Avoid breathing dust. Do not allow general use of area until it is

safe to do so.

6.2 Environmental precautions

Enviromental Presents no major environmental hazard.

6.3 Methods and material for containment and cleaning up

Major Spillage Shovel/sweep up into container for removal Wash to drain with copious amounts of water.

Minor Spillage Wash to drain with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage . Protect against ingress of moisture.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term (8hr TWA)	Short Term 15min period)	
Calcium oxide	1305-78-8	>95%	-	-	2.0 ppm -	

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

maintained chemical cartridge respirator, or use self contained breathing apparatus.

Hand Protection Use nitrile gloves or PVC gauntlets.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Off-white granules. Odour Odourless. pН 12 @ 20°C 2850°C **Boiling Point** Melting Point 2600°C Flash Point Not applicable Upper Flammable Limit Not applicable Lower Flammable Limit Not applicable Not applicable Auto Ignition **Explosive Properties** No. Oxidising Properties No.

Vapour Pressure Not applicable Relative Density 3.3100

Water Solubility Contact with water will generate considerable heat.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid Avoid contact with water or water vapour.

10.5 Incompatable Materials Reaction with water may generate sufficient heat to ignite combustible material.

Hazardous Decomposition May produce hazardous fumes if involved in a fire.

Section 11. Toxicological Information

11.1 Information on toxicological effects

Contact with the solid or dust will be irritating to the eyes, and may cause burns and corneal opacification. Eyes

Contact with the solid or dust will be irritating to the skin. Repeated exposure may cause dermatitis. Skin

LD50 Skin >2500 mg/Kg Rabbit

Ingestion Causes severe corrosion of the mouth, throat and gastro-intestinal tract.

LD50 Oral >2000 mg/Kg Rat

Inhalation Prolonged exposure to dust or fume concentrations above the occupational exposure limits will produce irritation

of the eyes, nose, throat and respiratory tract.

LD50 Inhalation >6.04 mg/L Rat **TCLo** Not available

Carcinogenicity No information is available. No information is available. Mutagenicity No information is available. Reproductive Effects

Section 12. Ecological

12.1 Toxicity Small amounts present no specific environmental hazard.

LC50 Algal 184.57 mg/L Green algae (72 hours) LC50 Crustacea 49.1 mg/L Daphnia magna (48 hours) LC50 Fish 50.6 mg/L Rainbow Trout (96 hours)

12.2 Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil No data available.

Results of PBT & vPvB Assessment not required.

assessment

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dilute in a large excess of water and carefully neutralise with an acid, then wash to drain with copious amounts of

Contaminated Packaging Wash out containers with water.

Section 14. Transport Information

14.1 UN Number Non-restricted14.2 Proper Shipping Name Non-restricted

14.3 Transport classes

UN classification None Subsidiary hazard(s) None Transport category None

ADR Hazard ID Non-restricted
Tunnel Restriction Code Non-restricted

14.4 Packing Group None

14.5 Environment hazards See section 12.

14.6 Special precautions for No special precautions required.

user

14.7 Transport in bulk Not transported in bulk.

Section 15. Regulatory Information

$15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Skin corrosion/irritation, category 2; Serious eye damage/irritation, category 1; Spec target organ tox - single,

category 3

Signal word Danger

Hazard Pictograms





Hazard Statements H315, H318, H335

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Precautionary Statements P264, P280, P260, P271, P332+P313, P337+P313

Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. Do not breathe fumes. Use only outdoors or in a well-ventilated area. If skin irritation occurs: Get medical advice/attention. If eye

irritation persists: Get medical advice/attention.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies