Scientific Laboratory Supplies - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1

Revision date: Date printed: 16 April 2021 16 September 2024

CHE243

Section 1. Identification

| 1.1 | Product Identifier | CHE2430 |
|-------|--------------------------------------|---|
| | | |
| | Product Name | MAGNESIUM METAL GRANULES 100g. |
| | CAS Number | |
| | REACH Registration No | A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date. |
| | Molecular Formula | Mg =24.31 |
| 1.2 R | Relevent identified uses of th | ne substance or mixure & uses advised against |
| | Uses of Material | Chemical for industrial and laboratory use. Not suitable for domestic use. |
| 1.3 | Supplier | Scientific Laboratory Supplies |
| | SCIENTIFIC LABORATORY SUPPLIES | Unit 6, Foresters Avenue Fairham Business Park Fairham Nottingham NG11 2AF UNITED KINGDOM |
| | Phone Fax Email | 0115 9821111 0115 9825275 sales@scientific-labs.com |
| 1.4 | Emergency Telephone | (08:00-17:00)0115 9821111(24hr)112(Have this document to hand) |

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Pyrophoric solid, category 1

Contact with water > flam gas, category 1

H250: Catches fire spontaneously if exposed to air. H260: In contact with water releases flammable gases which may ignite spontaneously.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word

Danger

Hazard Pictograms



In contact with water releases flammable gases which may ignite spontaneously. Catches fire spontaneously if exposed to air.

Precautionary Statements

Keep away from any possible contact with water, because of violent reaction and possible flash fire. Handle under inert gas. Protect from moisture. Wear protective gloves / protective clothing / eye protection / face protection. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. In case of fire: Evacuate area.

Section 3. Composition

3.1 Substances

| Component | CAS No. EEC No. | REACH No. | Conc w/w | CLP Classification (1272/2008/CE) |
|-----------|---------------------|-----------|----------|-----------------------------------|
| Magnesium | 7439-95-4 231-104-6 | | 99.5% | Pyr. Sol. 1,Water-react. 1 |
| | · · · · · | | | |

Section 4. First Aid

4.1 Description of first aid measures

| Eyes | Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION. |
|--------------------------------------|--|
| Skin | Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. If discomfort persists OBTAIN MEDICAL ATTENTION. |
| Inhalation | Remove from exposure. Keep warm and at rest. If conscious place in a sitting position. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. OBTAIN MEDICAL ATTENTION. |
| Ingestion | If conscious give plenty of water to drink. Do not induce vomiting. OBTAIN MEDICAL ATTENTION URGENTLY. |
| Personal protection for first aiders | Wear protective gloves / eye protection. |
| | |

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

| Extinguishing Media | Dry chemical powder. |
|---------------------|---|
| Unsuitable Media | Do not allow water to come into direct contact with material. |

5.2 Special hazards arising from the substance or mixture

May evolve toxic fumes if involved in a fire. Reacts with water to form extremely flammable gas.

5.3 Advice for firefighters

Hazards

Advice for firefighters

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use approved personal protective equipment. Avoid breathing dust-wear respiratory protective equipment. Ensure no sources of ignition. Avoid raising dust clouds- explosion risk.

6.2 Environmental precautions

Personal Protection

Enviromental

Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

| Major Spillage | Shovel/sweep up into container for removal Wash area down with copious amounts of water. |
|----------------|--|
| Minor Spillage | Shovel/sweep up into container for removal Wash area down with copious amounts of water. |

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with water, acids or other aqueous solutions.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place protected against moisture and water. Keep well protected from ingress of water and well separated from acids

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

| Component | CAS No | Concentration | Workplace Exposure Limits | | | |
|-----------|-----------|---------------|---------------------------|----------|--------------|--------------|
| | | | Long Term (8 | 8hr TWA) | Short Term 1 | 5min period) |
| Magnesium | 7439-95-4 | 99.5% | - | - | - | - |

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

| Respiratory Protection | If process creates significant amounts of dust use L.E.V. or wear suitable dust mask. |
|-------------------------------|---|
| Hand Protection | Wear gloves. |
| Eye Protection | Use tightly fitting chemical splash proof glasses or goggles. |
| Skin Protection | Avoid contact with skin. |
| Special Hazards | No special precautions required. |

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance | Fine silvery-grey metallic powder. |
|-----------------------|--|
| Odour | No specific odour. |
| pH | Not applicable |
| Boiling Point | 1110 °C |
| Melting Point | 651 °C |
| Flash Point | Not applicable |
| Upper Flammable Limit | Not applicable |
| Lower Flammable Limit | Not applicable |
| Auto Ignition | Not applicable |
| Explosive Properties | Can form explosive dust clouds. |
| Oxidising Properties | No. |
| Vapour Pressure | Not applicable |
| Relative Density | 1.7380 |
| Water Solubility | Reacts with water evolving a flammable |

9.2 Other information

No data available.

gas.

Section 10. Stability & Reactivity

| 10.1 | Reactivity | No data available. |
|------|-------------------------------------|--|
| 10.2 | Chemical Stability | Stable under normal conditions but spontaneously flammable in air above 220C. |
| 10.3 | Possibility of hazardous reactions | No data available. |
| 10.4 | Conditions to Avoid | Avoid contact with water or water vapour. |
| 10.5 | Incompatable Materials | Contact with water evolves flammable hydrogen gas. Forms explosive compounds with ammonia, acetylenic compounds, azides and ethylene oxide. Halogenated alkane solvents eg, carbon tetrachloride, dichloromethane, tetrachloroethane etc. Strong oxidising agents. |
| 10.6 | Hazardous Decomposition Products | Decomposes to emit highly irritant fumes. |

Section 11. Toxicological Information

11.1 Information on toxicological effects

| Eyes | The dust is irritating to the eyes. |
|----------------------|--|
| Skin | Presents no significant hazard by skin contact. |
| LD50 Skin | Not available |
| Ingestion | Low order of acute toxicity. |
| LD50 Oral | Not available |
| Inhalation | Presents no significant health hazard by inhalation. |
| LD50 Inhalation | Not available |
| TCLo | Not available |
| Carcinogenicity | Not considered to be a carcinogen. |
| Mutagenicity | Not considered to be a mutagen. |
| Reproductive Effects | No information is available. |

Section 12. Ecological

| 12.1 | Toxicity | None unusual. |
|------|----------------------------------|--------------------------|
| | LC50 Algal | Not available |
| | LC50 Crustacea | Not available |
| | LC50 Fish | Not available |
| 12.2 | Persistence and degradability | No data available. |
| 12.3 | Bioaccumulative potential | No data available. |
| 12.4 | Mobility in soil | No data available. |
| 12.5 | Results of PBT & vPvB assessment | Assessment not required. |
| 12.6 | Other adverse effects | None known at present. |

Section 13. Disposal Considerations

13.1 Waste treatment methods

| Disposal Methods | Small amounts may be carefully decomposed in a large excess of water. |
|------------------------|---|
| Contaminated Packaging | Use a licensed waste disposer. |

Section 14. Transport Information

| 14.1 | UN Number | 2950 | |
|------|------------------------------|----------------------------------|-------------------|
| 14.2 | Proper Shipping Name | Magnesium granules, coated | |
| 14.3 | Transport classes | | |
| | UN classification | 4.3 | $\langle \rangle$ |
| | Subsidiary hazard(s) | None | |
| | Transport category | 3 | |
| | ADR Hazard ID | 423 | |
| | Tunnel Restriction Code | E | |
| 14.4 | Packing Group | III | |
| 14.5 | Environment hazards | See section 12. | |
| 14.6 | Special precautions for user | No special precautions required. | |
| 14.7 | Transport in bulk | Not transported in bulk. | |
| | | | |

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture

| 1 Safety, health and environment regulations specific for subtance/mixture. | | | | |
|--|---|--|--|--|
| Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE) | | | | |
| Classification | Pyrophoric solid, category 1; Contact with water > flam gas, category 1 | | | |
| Signal word | Danger | | | |
| Hazard Pictograms | | | | |
| | | | | |
| Hazard Statements | H260, H250 In contact with water releases flammable gases which may ignite spontaneously. Catches fire spontaneously if exposed to air. | | | |
| Hazard Statements (Packs of 100ml/g or less) | H250, H260 | | | |
| of rooming of ressy | Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously. | | | |
| Precautionary Statements | P223, P231+P232, P280, P335+P334, P370+P380 | | | |
| | Keep away from any possible contact with water, because of violent reaction and possible flash fire. Handle under inert gas. Protect from moisture. Wear protective gloves / protective clothing / eye protection / face protection. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. In case of fire: Evacuate area. | | | |
| Precautionary Statements (Packs of 100ml/g or less) | P223, P370+P380 | | | |
| (Tacks of Tooling of less) | Keep away from any possible contact with water, because of violent reaction and possible flash fire. In case of fire: Evacuate area. | | | |
| 2 Chemical safety assessment | | | | |

DANGEROUS WHEN WET

Assessment not required.

15.2

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies