

Printing 11.05.2022 version number 17 Revision: 11.05.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*1.1 Product identifier

\*Trade name: COMBINED ACID BUFFER

\*Article number: SCAB05

#### \*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

#### \*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

\*Application of the substance / the mixture Laboratory Chemicals

### \*1.3 Details of the supplier of the safety data sheet

# \*Manufacturer/Supplier:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

## \*Further information obtainable by contacting: sds@reagecon.ie

#### \*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

# SECTION 2: Hazards identification

#### \*2.1 Classification of the substance or mixture

\*Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

## \*2.2 Label elements

#### \*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

\*Hazard pictograms



GHS07

#### \*Signal word Warning

#### \*Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### \*Precautionary statements

*P264* Wash thoroughly after handling.

(Contd. on page 2)



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 1)

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

\*PBT: Not applicable. \*vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

#### \*3.2 Chemical characterisation: Mixtures

\*Description: Mixture of substances listed below with nonhazardous additions.

*Dangerous components:			
	Acetic Acid	10%	
EINECS: 200-580-7	🚸 Flam. Liq. 3, H226; 📀 Skin Corr. 1A, H314		
CAS: 7697-37-2		<1%	
EINECS: 231-714-2	🕸 Ox. Liq. 2, H272; 🥎 Acute Tox. 1, H330; 🎨 Skin Corr. 1A, H314		

<sup>\*</sup>Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- \*4.1 Description of first aid measures
- \*After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- \*After skin contact:

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

#### \*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse.. If symptoms persist, consult a doctor.

### \*After swallowing:

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

\*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

\*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### \*5.1 Extinguishing media

#### \*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

*Use fire extinguishing methods suitable to surrounding conditions.* 

\*5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### \*5.3 Advice for firefighters

#### \*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

<sup>\*2.3</sup> Other hazards

<sup>\*</sup>Results of PBT and vPvB assessment



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 2)

# SECTION 6: Accidental release measures

#### \*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

#### \*6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

#### \*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

#### \*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

#### \*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

#### \*7.2 Conditions for safe storage, including any incompatibilities

## SECTION 8: Exposure controls/personal protection

#### \*8.1 Control parameters

*Ingredients with limit values that require monitoring at the workplace:  CAS: 64-19-7 Acetic Acid		
OEL (Ireland)	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm IOELV	
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm	
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
IOELV (European Union,	Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm	
CAS: 7697-37-2 nitric ac	id	
OEL (Ireland)	Short-term value: 2.6 mg/m³, 1 ppm IOELV	
PEL (USA)	Long-term value: 5 mg/m³, 2 ppm	
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm	

<sup>\*</sup>Information about fire - and explosion protection: No special measures required.

<sup>\*</sup>Requirements to be met by storerooms and receptacles: No special requirements.

<sup>\*</sup>Information about storage in one common storage facility: Not required.

<sup>\*</sup>Further information about storage conditions: Keep receptacle tightly sealed.

<sup>\*7.3</sup> Specific end use(s) No further relevant information available.



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 3)

IOELV (European Union) Short-term value: 2.6 mg/m³, 1 ppm

\*Additional information: The lists valid during the making were used as basis.

#### \*8.2 Exposure controls

#### \*Personal protective equipment:

#### \*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### \*Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (ENI4387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### \*Protection of hands:



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

#### \*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### \*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 4)

#### \*Eye protection:



Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU)

\*Engineering Controls: No further data; see item 7.

# SECTION 9: Physical and chemical properties

\*9.1 Information on basic physical and chemical properties

\*General Information

\*Appearance:

\*Form: Liquid

\*Colour: According to product specification

\*Odour: Characteristic
\*Odour threshold: Not determined.
\*pH-value: Not determined.

\*Change in condition

\*Melting point/freezing point:

\*Initial boiling point and boiling range: 100 °C

\*Flash point:

\*Flammability (solid, gas):

\*Ignition temperature:

\*Decomposition temperature:

\*Undetermined.

\*100 °C

\*Not applicable.

485 °C

\*Not determined.

\*Auto-ignition temperature: Product is not selfigniting.

\*Explosive properties: Product does not present an explosion hazard.

\*Explosion limits:

\*Lower: 4 Vol %

\*Upper: 17 Vol %

\*Vapour pressure at 20 °C: 23 hPa

\*Dansitus Not determ

\*Density: Not determined.

\*Relative density Not determined.

\*Vapour density Not determined.

\*Evaporation rate Not determined.

\*Solubility/ miscibility with

\*water: Fully miscible.
\*Partition coefficient: n-octanol/water: Not determined.

\*Viscosity:

\*Dynamic: Not determined. \*Kinematic: Not determined.

\*Solvent content:

\*Organic solvents: 10.0 %

\*9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

- \*10.1 Reactivity No further relevant information available.
- \*10.2 Chemical stability
- \*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \*10.3 Possibility of hazardous reactions No dangerous reactions known.
- \*10.4 Conditions to avoid No further relevant information available.
- \*10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 5)

\*10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- \*11.1 Information on toxicological effects
- \*Acute toxicity Based on available data, the classification criteria are not met.
- \*Primary irritant effect:
- \*Skin corrosion/irritation

Causes skin irritation.

\*Serious eye damage/irritation

Causes serious eye irritation.

- \*Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \*Additional toxicological information:
- \*CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \*Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \*Carcinogenicity Based on available data, the classification criteria are not met.
- \*Reproductive toxicity Based on available data, the classification criteria are not met.
- \*STOT-single exposure Based on available data, the classification criteria are not met.
- \*STOT-repeated exposure Based on available data, the classification criteria are not met.
- \*Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- \*12.1 Toxicity
- \*Aquatic toxicity: No further relevant information available.
- \*12.2 Persistence and degradability No further relevant information available.
- \*12.3 Bioaccumulative potential No further relevant information available.
- \*12.4 Mobility in soil No further relevant information available.
- \*Additional ecological information:
- \*General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- \*12.5 Results of PBT and vPvB assessment
- \*PBT: Not applicable.
- \*vPvB: Not applicable.
- \*12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- \*13.1 Waste treatment methods
- \*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

\*European waste catalogue

HP8 Corrosive

- \*Uncleaned packaging:
- \*Recommendation: Disposal must be made according to official regulations.
- \*Recommended cleansing agents: Water, if necessary together with cleansing agents.

IF -



 Printing 11.05.2022
 version number 17
 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 6)

*14.1 UN-Number *ADR, IMDG, IATA	UN3265
*14.2 UN proper shipping name *ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.C. (NITRIC ACID, ACETIC ACID, GLACIAL)
*IMDG, IATA	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O (NITRIC ACID, ACETIC ACID, GLACIAL) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O (NITRIC ACID, ACETIC ACID, GLACIAL)
*14.3 Transport hazard class(es)	
*ADR, IMDG, IATA	
*Class	8 Corrosive substances.
*Label	8
*14.4 Packing group *ADR, IMDG, IATA	III
*14.5 Environmental hazards: *Marine pollutant:	No
*14.6 Special precautions for user	Warning: Corrosive substances.
*Hazard identification number (Kemler code):	80 F-A,S-B
*EMS Number: *Segregation groups	r-A,S-B Acids
*Stowage Category	A
*Stowage Code	SW2 Clear of living quarters.
*14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	p <b>f</b> Not applicable.
*Transport/Additional information:	
*ADR	
*Limited quantities (LQ)	5L
*Transport category	3_
*Tunnel restriction code	E
*UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANI N.O.S. (NITRIC ACID, ACETIC ACID, GLACIAL), 8, III

# **SECTION 15: Regulatory information**

- \*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- \*Directive 2012/18/EU
- \*Named dangerous substances ANNEX I None of the ingredients is listed.
- \*REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- \*DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 8)



Printing 11.05.2022 version number 17 Revision: 11.05.2022

Trade name: COMBINED ACID BUFFER

(Contd. of page 7)

#### \*REGULATION (EU) 2019/1148

\*Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### \*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### \*National regulations:

#### \*Breakdown regulations:

Class	Share in %
Wasser	88.5
II	10.0

<sup>\*</sup>Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### \*Reasons for alterations

#### \*Relevant Phrases:

H226 Flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

#### \*Department issuing SDS: Health and Safety

#### \*Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 1: Acute toxicity - Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\*N0

ΙE

<sup>\*15.2</sup> Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

<sup>\*</sup>Contact: sds@reagecon.ie