

Hygiene monitoring has a new hero.

♥ PASS 126 RLU

Retest

Cheese Mixer Cheese Min

3M[™] Clean-Trace[™] Luminometer

The newly redesigned 3M Clean-Trace Luminometer features improved ease of use, faster time to result and simple, one-handed operation. The ergonomic design makes testing simple, minimizing training time and costs. And with performance and breakthrough technology, you get results you can count on.

Ready when you are.

3M[™] Clean-Trace[™] Luminometer

Easy to use

- Easy-to-learn user interface features intuitive navigation/screen menus
- ► Simple, one-handed operation allows multitasking
- User-friendly touchscreen
- Ergonomic design allows for one-handed operation regardless of hand size
- ► Wireless capabilities with Bluetooth® Technology
- Color display is easy to read
- Sample plans are easy to follow
- Photos can be easily downloaded to appear on the luminometer

Robust hardware

- ► Stands up to harsh manufacturing environments
- Durable, impact-resistant casing
- ► Capless design for easy access and accurate results
- ► Flip-out foot allows device to stand upright
- Easy-to-locate side USB port prevents dirt accumulation

Accurate data, trusted results

- ► Self-diagnostic check on start-up
- ► Faster time to results for increased efficiency
- Allows entry of additional pre-op test data including visual inspection
- Secure data can't be changed on hardware

ЗМ	_		giene Man			_			
	24 Hour	s 7 days	30 days	60 da	ays	1	9/12/2014	- 31/12/20	14 AI
Joon Smith Mark Lativer Mark Lativer		334 nts Tested		99 Passe			14 Cautic		1
Bowl Chopper	Status F	Reports	Chart						Next Sch
Test Type: ATP2	✓ Pizz	a Line 1	8	7	31	_	95	-	22/01/2
V PASS		Sync: Today 2:			UI.				
126 RLU			Wang, Wilson Dsilv	a, Allen Bell	y, Ryan Dor	old, Riaz Azar	ni		
Retest	Test	Point Name	Test Type	Pass	Fail	Last Re	sult Date	Last Result	Status
Hetest	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
< Dough Mixer Cheese Mixer >	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
Dough Mixer Cheese Mixer 7	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	Pizz	a Line1	ATP	150	200	22/0	1/2015	Pass	
	> Pizz	a Line 2		110		28	95		22/01/2
(2)5	> Pizza Line 3		156			12	56		22/01/2
	/ 1122	a Line 5		156			50		22/01/2
ЗМ		4				ç			

Make testing simple at <u>3M.com/foodsafety/Clean-Trace</u>

Ordering Information

Product Number	Description	Case Quantity
LM1	3M Clean-Trace Hygiene Monitoring and Management System*	1/each

*Computer not included.

3M

For more information on the 3M[™] Clean-Trace[™] Hygiene Monitoring and Management System: go.3M.com/clean-trace-hygiene-monitoring1

3M Food Safety 3M Center, Building 275-5W-05 St. Paul, MN 55144-1000 U.S.A.

Phone 1-800 328-6553 Web 3M.com/foodsafety 3M Canada Post Office Box 5757 © London, Ontario N6A 4T1 Canada tra

Phone 1-800-364-3577

© 3M 2016. All rights reserved. 3M and Clean-Trace are trademarks of 3M Company. All other trademarks are the property of their respective owners. Used under license in Canada. Please recycle. Printed in U.S.A.