TG77

7 Day Compact Electronic Timeswitch

Features & Benefits

- A total of 20 ON/OFF switching programmes selectable over individual days and various combinations of days.
- 24 hour LCD display for easy viewing.
- Up to 24 hour countdown facility (giving a manual start to a timed OFF).
- Self-cancelling override and permanent ON/OFF facility.
- Optional random delay to both start and finish of all programmes.
- Output ON indicator light.
- Large 24 hour display for easy viewing.

Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Plug-in
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP20
Setting Type	Digital
Battery Type	NiMH 1.2V 40mAh Rechargeable Battery (Non Replaceable)

TIMEGUARD®
A theben Group Company

additional information at:
https://www.timeguard.com

This data was generated on

06/06/2022

Subject to technical changes and misprints

Program Modes	24 Hour, Countdown, Random, Perminant ON/OFF or Timed
Socket Outlet	Single Gang UK Plug Socket
Switch type	Single Pole
Standby Consumption	<0.6W
Switch rating	13A Resistive, 2A Inductive, 60W LED, 400W Halogen, 100W CFL/Low Energy Lighting
Permanent ON Facility	Yes

General

Weight (g)	148
Height (mm)	74
Width (mm)	72
Depth (mm)	69
Body Construction	Polycarbonate
Product Colour	White
EAN Number	5012483009345
Guarantee Period	3 Years

TIMEGUARD®
A **theben** Group Company

additional information at:
https://www.timeguard.com

This data was generated on

06/06/2022

Subject to technical changes and misprints

Line Diagrams

TIMEGUARD®
A **theben** Group Company

additional information at:
https://www.timeguard.com

This data was generated on

06/06/2022

Subject to technical changes and misprints