# Scientific Laboratory Supplies - Safety Data Sheet

CHE1844

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021 Date printed: 16 September 2024

## **Section 1. Identification**

**Product Identifier** CHE1844

> Product Name DIETHYL ETHER pure 500ml.

CAS Number

**REACH Registration No** 01-2119535785-29-XXXX

 $(C_2 H_5)_2 O = 74.12$ Molecular Formula

## 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 **Supplier** Scientific Laboratory Supplies



Unit 6, Foresters Avenue Fairham Business Park

Fairham Nottingham NG11 2AF

UNITED KINGDOM

Phone 0115 9821111 Fax 0115 9825275

Email sales@scientific-labs.com

0115 9821111 **Emergency Telephone** (08:00-17:00)

> (24hr) 112

(Have this document to hand)

## Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

## Classification according to regulation 1272/2008/EC

Flammable liquid, category 1 H224: Extremely flammable liquid and vapour.

Acute toxicity, category 4 (oral) H302: Harmful if swallowed. Spec target organ tox - single, category 3 H336: May cause drowsiness or dizziness.

#### 2.2 Label elements

### Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms





**Hazard Statements** Extremely flammable liquid and vapour. Harmful if swallowed. May cause drowsiness or dizziness.

Ref: CHE1844

Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective **Precautionary Statements** 

clothing / eye protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Store in a well ventilated place. Keep container tightly closed.

Supplemental Hazard Information (EU)

May form explosive peroxides. Repeated exposure may cause skin dryness or cracking.

## **Section 3. Composition**

#### 3.1 Substances

Component	mponent CAS No. EEC No		REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Diethyl Ether	60-29-7	200-467-2	01-2119535785-29-XXXX	>99.5%	Flam. Liq. 1,Acute Tox. 4 (O),STOT SE 3 (D)

## **Section 4. First Aid**

#### 4.1 Description of first aid measures

Eves Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use.

Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If Inhalation

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. If there is difficulty in breathing give oxygen

if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5. Fire Fighting

### 5.1 Extinguishing media

Extinguishing Media Dry powder, carbon dioxide or vaporising liquids. Use water spray to keep fire exposed containers cool.

Unsuitable Media Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards Vapour-air mixtures are explosive. Vapours may flow along surfaces to distant ignition sources and flash back.

### 5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

# Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so. Beware: vapour is heavier than air and will tend to accumulate at low spots.

### **6.2 Environmental precautions**

Enviromental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with

copious amounts of water.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in

remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

## 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

#### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

## 8.1 Control parameters

Component	CAS No	Concentration	Concentration Workplace Exposure Limits				
			Long Term (8hr TWA)		Short Term 15min period)		
Diethyl Ether	60-29-7	>99.5%	100.0 ppm	310.0 mg/m-3	200.0 ppm	620.0 mg/m-3	

IOELV: Indicative Occupational Exposure Limit Value. Exposure data source(s)

### 8.2 Exposure controls

Respiratory Protection Use L.E.V. or natural ventilation to maintain vapour concentrations below exposure limits. If not, use a well

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

**Hand Protection** Use solvent resistant gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn. Skin Protection

Ref: CHE1844

Special Hazards No special precautions required.

## Section 9. Physical & Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Clear colourless liquid. Appearance

Ethereal. Odour pН Not applicable **Boiling Point** 34.6°C Melting Point -116.2°C

Flash Point -40°C (Closed cup)

Upper Flammable Limit 36% Lower Flammable Limit 1.9% Auto Ignition 170°C **Explosive Properties** Not applicable Oxidising Properties Not applicable 587hPa @ 20°C Vapour Pressure

Relative Density

0.7135

Water Solubility 1.2%

#### 9.2 Other information

No data available.

# Section 10. Stability & Reactivity

10.1 Reactivity No data available.

**10.2** Chemical Stability Stable under normal conditions but may form peroxides on prolonged storage if air is present.

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition. 10.5 Incompatable Materials Strong oxidising agents. Sulphuric acid. Nitric acid.

None unusual. Burning will produce smoke, carbon monoxide and/or carbon dioxide. Hazardous Decomposition

Products

## **Section 11. Toxicological Information**

#### 11.1 Information on toxicological effects

Eyes Both the vapour and liquid are, irritating to the eyes but unlikely to cause serious injury.

Skin Repeated or prolonged contact may defat the skin producing irritation and dermatitis. Unlikely to be absorbed

across the skin in harmful amounts.

LD50 Skin Not available

Ingestion Ingestion of large amounts will produce symptoms resembling those of alcoholic intoxication ie excitation and

irritability. Further exposure will induce confusion, drowsiness, stupor and finally unconsciousness. Aspiration

during swallowing or vomiting may injure lungs. Death may follow due to respiratory failure.

LD50 Oral 1215mg/kg Rat

Inhalation Exposure to vapour concentrations above the occupational exposure limits may produce irritation of the eyes,

nose, throat and respiratory tract. High concentrations of vapour will will induce confusion, drowsiness, stupor

and finally unconsciousness

LD50 Inhalation 73000mg/l Rat (4 hours)

TCLo Not available

Carcinogenicity Not considered to be a carcinogen. Mutagenicity Not considered to be a mutagen.

Reproductive Effects A slight increase in miscarriage rate has been reported in women exposed to solvents.

Other Information Used medicinally as an inhalation anaesthetic.

## Section 12. Ecological

Readily bio-degraded in the environment. 12.1 Toxicity

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available 12.2 Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available. Mobility in soil No data available.

Results of PBT & vPvB Assessment not required.

assessment

None known at present.

# **12.6** Other adverse effects

## **Section 13. Disposal Considerations**

#### 13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems due to high risk of explosion.

Contaminated Packaging Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion.

## **Section 14. Transport Information**

**14.1 UN Number** 1155

14.2 Proper Shipping Name Diethyl ether

14.3 Transport classes

UN classification 3
Subsidiary hazard(s) None
Transport category 1
ADR Hazard ID 33
Tunnel Restriction Code D/E

14.4 Packing Group

**14.5 Environment hazards** See section 12.

**14.6 Special precautions for** No special precautions required.

user

**14.7 Transport in bulk** Not transported in bulk.



15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 1; Acute toxicity, category 4 (oral); Spec target organ tox - single, category 3

Signal word Danger

Hazard Pictograms





Hazard Statements H224, H302, H336

Extremely flammable liquid and vapour. Harmful if swallowed. May cause drowsiness or dizziness.

Precautionary Statements P210, P280, P303+P361+P353, P270, P264, P403+P233

Keep away from heat / sparks/open flames/hot surfaces - No smoking. Wear protective gloves / protective clothing / eye protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Store in a well ventilated place. Keep container tightly closed.

Supplemental Hazard Information (EU) EUH019, EUH066

May form explosive peroxides. Repeated exposure may cause skin dryness or cracking.

### 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 16 September 2024

Copyright: 2024 Scientific Laboratory Supplies